Key Concepts of Pattern Recognition An Introduction to Pattern Recognition



Dr. Elli Angelopoulou

Lehrstuhl für Mustererkennung (Informatik 5) Friedrich-Alexander-Universität Erlangen-Nürnberg


What is Pattern Recognition?



- Definition: Pattern Recognition involves the design of systems that (semi) automatically recognize patterns in sensed data.
- It deals with the mathematical and technical aspects of determining facts from sensor data.
- Thus, the task of Pattern Recognition needs the following components:
 - Sensor
 - Preprocessing Modules
 - Features
 - Classifier


Pattern Recognition Pipeline





- In recognizing a particular pattern, the entire pattern is treated as a single unit. It is assigned as a whole to a particular class Ω_κ out of k possible classes Ω_λ, λ = 1,...,k, without consideration to other patterns.
- It is also possible to reject a pattern, i.e. to assign it to a rejection class Ω_0 .





- Output of module i is input to module i + 1.
- Simple system structure.
- Each module can be optimized separately (at least partially).
- The sequence of processing steps is relatively independent of the individual pattern.
- Errors in module i will be propagated to i + 1.

Example: Coffee Bean Classification

Sensor:

Color camera

Features:

- Color (light, medium, dark)
- Uniformity of color
- Size
- Smoothness
- Position of the crack (center, or off-center)
- Curvature of the crack (wrinkly, straight, curved)

Classes:

- Grade 1 (specialty grade)
- Grade 2 (premium grade)
- Grade 3 (exchange grade)
- Grade 4 (standard grade)
- Grade 5 (off grade)





Example: Coffee Bean Classification

Sensor:

Color camera

Features:

- Color (light, medium, dark)
- Uniformity of color
- Size
- Smoothness
- Position of the crack (center, or off-center)
- Curvature of the crack (wrinkly, straight, curved)
- Weight

Classes:

- Grade 1 (specialty grade)
- Grade 2 (premium grade)
- Grade 3 (exchange grade)
- Grade 4 (standard grade)
- Grade 5 (off grade)





Example: Coffee Bean Classification

Sensor:

- Color camera
- Scale

Features:

- Color (light, medium, dark)
- Uniformity of color
- Size
- Smoothness
- Position of the crack (center, or off-center)
- Curvature of the crack (wrinkly, straight, curved)
- Weight


Classes:

- Grade 1 (specialty grade)
- Grade 2 (premium grade)
- Grade 3 (exchange grade)
- Grade 4 (standard grade)
- Grade 5 (off grade)




PR Pipeline Reminder

Seite 8



In recognizing a particular pattern, the entire pattern is treated as a single unit. It is assigned as a whole to a particular class Ω_{κ} out of k possible classes Ω_{λ} , $\lambda = 1,...,k$, without consideration to other patterns.



 \mathcal{N}



Seite 10

PR on Handwritten Digit Recognition




PR on Tea Plants











Seite 11

PR on Speech





The shown speech signal contains the word chain:

Ich will morgen abend nach Frankfurt

The recognition of each word and the recognition of the meaning of the entire sentence is part of an automated system for booking train tickets.



- The task of recognition (speech, faces, diseases, animals, etc.) is a difficult task that humans perform exceptionally well.
- According to Z. Pawlak (1991): Knowledge is deepseated in the classificatory abilities of human beings and other species.
- Also according to Z. Pawlak (1991): Classification on more abstract levels seems to be a key issue in reasoning, learning, and decision making ...



- Understanding a pattern by a machine is equivalent to a mapping from the pattern to an internal schema for knowledge representation
- For Pattern Recognition to work we rely on six key postulates:

1. Sample:

- We have representative samples for each class $f\left(x\right)\in\Omega$
- There is no better data than more data!



2. Features:

Intuitively a feature is a property that we can use to recognize or differentiate units.

Features for finding a face:



Seite 16

2. Features:

Intuitively a feature is a property that we can use to recognize or differentiate units.

Features for finding a face:

- eyes
- nose
- mouth



Seite 17

2. Features:

Intuitively a feature is a property that we can use to recognize or differentiate units.

Features for finding a face:

- eyes
- nose
- mouth

Features for identifying a particular face:

- shape, size, position and color of eyes
- shape, size and position of nose
- shape, size and position of mouth
- hair color
- scars



2. Features:

A simple pattern has features c_v , v = 1,...,n, that are characteristic for the class the pattern belongs to.

A classifier is as good as its features.

If the features can't describe (don't capture) the difference between O and Q (if we miss the little line at the bottom), then we can't expect the classifier to recognize these two letters as belonging to different classes.


Keep the number of dimensions *n* low (curse of dimensionality).



3. Compactness:

Features of patterns belonging to class Ω_{κ} occupy a compact area in feature space.

For a better differentiation between classes we want low intra-class distance and high inter-class distance





Seite 20

4. Decomposition:

A complex pattern can be decomposed into smaller parts whose combined presence makes up the pattern.





Image courtesy of videosurf, http://www.videosurf.com/blog/the-magic-behind-videosurfs-computer-vision-video-search-engine-56/




Seite 21

5. Structure:


Complex patterns of a specific domain have a certain structure.



Representation of a bird flying. The periodic action of the wings can be clearly seen. As the bird moves towards the camera, its size changes causing a helical structure.



Representation of a bird flying and then gliding. The motion is periodic in the beginning, but the periodicity later stops. This can be seen in the structure of the feature space.



Representation of a water falling in a fountain. The irregularity of the structure in the feature space reflects the lack of regular motion.




6. Similarity:

Two representations (of patterns) are similar if a properly chosen distance measure is small.

- Pattern recognition is based mostly on postulates: 1, 2, 3, 6
- Computer vision is based mostly on postulates: 1, 4, 5, 6

Pattern Recognition Pipeline





Simple Example



Very often in Pattern Recognition we have a training set:

$$T = \{(\vec{f}_1, \Omega_{\kappa_1}), (\vec{f}_2, \Omega_{\kappa_2}), \dots, (\vec{f}_m, \Omega_{\kappa_m})\}$$

- From such a training set we learn how features (signals) that belong to a particular class Ω_{κ} should look like.
- Given a new feature-vector (signal) we decide that it belongs to the class, which based on our training data, has features (signals) that look the most similar to the new data.


Data Collection



- The first step in a PR system is sensing the environment.
- Data, which is typically in analog form, has to be converted to a digital form so that it can be in a form amenable for further processing.
- There is a very wide variety of what can be used as input in a PR system. It typically depends on the application.
- Selecting the sensor that gives the best quality data at a reasonable cost and speed can be critical in the success of a PR system.

Images: Grayscale 2D data





Seite 26

Images: Color Data over Time – 3D Data














Multiple Sensors: Sonar and Color




Seite 28






Seite 29

Multiple Images: Color plus X-Ray





Magnetic Resonance Images: Multiple Slices




Knee slice 16

Knee slice 22

Knee slice 34


Schema Images





Seismic Data





Seite 32