











TECHNISCHE FAKULTÄT

Outline





Introduction

Lessons learnt

Next steps

Introduction





- Scientific Writing workshop (SAOT)
 - November 21, 2013

Trainer: Sheila Regan (<u>www.uni-works.de</u>)

- Paper ≤ 12 pages (or poster, slides or ≤ 4 abstracts)
 - Native check
 - Review in a small group (≤ 4 student)





Lessons learnt







Influence of the Phase Effect on Gradient-Based and Statistics-Based Focus Measures in Bright Field Microscopy

S. SCHOELL^{1,2,3}, F. MUALLA¹, B. SOMMERFELDT⁴, S. STEIDL¹, A. MAIER^{1,3}, R. BUCHHOLZ^{3,4} & J. HORNEGGER^{1,3}

¹Pattern Recognition Lab, Friedrich-Alexander University Erlangen-Nuremberg, Germany ²ASTRUM IT GmbH, Erlangen, Germany

³Graduate School in Advanced Optical Technologies (SAOT),

Friedrich-Alexander University Erlangen-Nuremberg, Germany

⁴Institute of Bioprocess Engineering, Friedrich-Alexander University Erlangen-Nuremberg, Germany

Solution





Influence of the Phase Effect on Gradient-Based and Statistics-Based Focus Measures in Bright Field Microscopy

S. SCHOELL^{1,2,3}, F. MUALLA¹, B. SOMMERFELDT⁴, S. STEIDL¹, A. MAIER^{1,3}, R. BUCHHOLZ^{3,4} & J. HORNEGGER^{1,3}

¹Pattern Recognition Lab, Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany

²ASTRUM IT GmbH, Erlangen, Germany

³Graduate School in Advanced Optical Technologies (SAOT),

Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany

⁴Institute of Bioprocess Engineering, Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany

 Use the University glossary for: the official name of the university, departments, DFG projects, subjects

FAU – official English website







proved experimentally that

light pulses can accelerate

People who approach challenges with a





Phase objects like separated single Chinese hamster ovary (CHO) cells are nearly invisible at the optical focus position in bright field microscopy images.

Phase objects such as separated single Chinese hamster ovary (CHO) cells are almost invisible at the optical focus position in bright field microscopy images.





Table 1: Overview on the image data used for this work.

Table 1: Overview of the image data used for this work

Table 6 shows the result of the same process applied on the homogeneous stacks

Table 6 shows the result of the same process applied to the homogeneous stacks

Prepositions





They simply need to be learned!

Always learn a word with ist accompanying preposition.

- An investigation INTO
- An increase/decrease OF
- An overview OF
- A survey OF
- Substitute sth. FOR sth.
- Replace sth. WITH sth.





DMEM/F-12 (Invitrogen 21331-046) was used as growth medium

DMEM/F-12 (Invitrogen 21331-046) was used as the growth medium

Use of the article





Use the definite article (the):

- When there is only one of something
 - the sun
- To suggest there is only one
 - the leading authority on...
- When you have already mentioned something
 - the model was then applied...
- Before something is defined or restricted by a preposition phrase beginning with "of"
 - the rate of acceleration
- For superlatives
 - **the** highest, **the** greatest
- For comparisons with "same"
 - results were the same as in the previous experiment







In this section, we compare the behavior of TEN and VAR curves of homogeneous stacks.

In this section, we compare the behaviour of TEN and VAR curves of homogeneous stacks.

- Journal of Microscopy:
 - Spelling should conform with The Concise Oxford Dictionary

English variation





- Find out whether you should use US, UK or another variation of English.
 - Adjust your language settings and spellcheck
 - Add specialist words to your spellcheck once you have checked your spelling

US	UK
-ize	-ise
fiber	fibre
color	colour
theater	theatre
aluminum	aluminium
A, B, and C	A, B and C

Corrections





- An imaging system is called in focus if a single point of an object is mapped to a single point in the image.
- An imaging system is considered in focus if a single point of an object is mapped to a single point in the image.
- Comparisons of focus measures for bright field microscopy have been done out for objects that are amplitude objects.
- Comparisons of focus measures for bright field microscopy have been conducted/carried out for objects that are amplitude objects.
- The rest of the paper is organized as follows:
- This paper is organized as follows:

Corrections II





- Both (a) and (c) show a considerable contrast increase compared to (b).
- Both (a) and (c) show a considerable contrast increase compared with (b).
- Comprehensive comparisons of focus measures can be found in ...
- Extensive comparisons of focus measures can be found in
- We introduce the term phase effect characteristic (PEC)
- Here, we introduce the term phase effect characteristic (PEC)

Corrections III





- As mentioned earlier in this paper, ...
- As mentioned above, ...
- **Figure 5**: Image regions that do not have a phase effect characteristic in their focus curves are drawn into the images on the left side. Image regions with exactly one phase effect characteristic are shown in the same images on the right side.
- **Figure 5**: Image regions that do not have a phase effect characteristic in their focus curves are drawn on the images on the left-hand side. Image regions with exactly one phase effect characteristic are shown in the same images on the right-hand side.

Some additional hints





Check consistency

- Mualla, F., Schöll, S., Sommerfeldt, B. & Hornegger, J. (2013) Using the Monogenic Signal for Cell-Background Classification in Bright-Field Microscope Images. Bildverarbeitung für die Medizin 2013, Springer Berlin Heidelberg, 170–174.
- Mualla, F., Schöll, S., Sommerfeldt, B., Maier, A. & Hornegger, J. (2013) Automatic Cell Detection in Bright Field Microscope Images using SIFT, Random Forests, and Hierarchical Clustering. IEEE TMI 2013, submitted
- Osibote, O. a, Dendere, R., Krishnan, S. & Douglas, T. S. (2010) Automated focusing in bright-field microscopy for tuberculosis detection. Journal of microscopy 240(2), 155–163.
- Redondo, R., Bueno, G., Valdiviezo, J. C., Nava, R., Cristóbal, G., Déniz, O., García-Rojo, M., Salido, J., Fernández, M. D. M., Vidal, J. & Escalante-Ramírez, B. (2012) Autofocus evaluation for brightfield microscopy pathology. Journal of Biomedical Optics 17(3), 036008.
- Simplify whenever possible
 - "We will use Figure 1 to illustrate that"
 - "Figure 1 illustrates this"
- Keep a parallel sentence structure
 - "We established … and decided…";
 - NOT "We established…and the decision was made to…"



Some additional hints II





- Avoid repetition (of words or of structures) within the same sentence or paragraph.
 - "In this paper, we show that the typical use of TEN and VAR is likely to fail in the presence of the phase effect. The following observations were made in the presence of the phase effect: "
- Check your references backwards and use reliable reference management software
- Can't → cannot
- Don't → do not
- First, Second or Firstly, Secondly?
 - Both are correct. Trend: First, Second,



Next steps



Online reference tools





- Merriam Websters dictionary: <u>www.m-w.com</u>
- Linguee: <u>www.linguee.com</u>
- Oxford Dictionaries: http://www.oxforddictionaries.com/
- Grammar reference: http://grammar.ccc.commnet.edu/grammar/
- Check your phrase: "try it out in google" with restrictions to site:.edu, or sit:.ac.uk
- Sites for academic writing:
 - "Using English for Academic Purposes": http://www.uefap.com/
 - Purdue Online Writing Lab(OWL): https://owl.english.purdue.edu/
- Sites/forums on learning English:
 - http://www.usingenglish.com/
 - http://www.onestopenglish.com/




Recommended reading





 Tim Skern – Writing Scientific English (for German speakers)







Thanks for your attention!

